



Belgotex

Solution Dyed Nylon Tufted Broadloom Carpet

SDN Tufted Broadloom Commercial Carpet is a solution dyed Nylon Tufted Commercial Broadloom Carpet in an array of colors and designs. The product is part of a End of life take back scheme.

Products/Ranges:
Product Stages Assessed:
Product Type:
CSI Masterformat:

SDN Tufted Broadloom Carpet
Whole of life + In Use
Carpet
096813

Licenced Site/s:
Licence Number:
Licence Date:
Valid To:
Standard:
Screening Date:
PHD URL:

Pietermaritzburg, South Africa
BEL:PI07:2026:PH
06 October 2026
02 April 2027
GGT International standard v4.0
06 October 2026
<https://www.globalgreentag.co.za/certificate/2178/>



PHD Summary

Percentage Assessed: 100%

Inventory Threshold:

100ppm Product Level


Inventory Method:

Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognized by WELL * & LEED * Material Transparency & Optimization credits included below:
- Meets IWBI * WELL™ v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for Feature 04 (Part 3); Feature 11 (Part 1); Feature 25 (Part 2, 3) , and, meets IWBI * WELL™ v2.0 as Recognized for X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for X01 (Part 1); X05 (Part 2); X06 (Part 2); X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED® v4.0 and v4.1 Rating System MR Credit: "Building Product Disclosure and Optimisation - Material Ingredients" - Option 1: Material Ingredient Reporting and Option 2 - International ACP - REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK
ASSESSMENT, & IN USE HEALTH, % by mass.
See over for explanation.

ASSESSMENT:



Declared by:
Global GreenTag
International Pty Ltd

David Baggs
CEO

Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum GreenTag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED ® v4.0 & v4.1, WELL ® v1.0 & v2.0, Green Star ®, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assess- ment	InUse Health Assessment	Comment
Solution Dyed Nylon (SDN) Masterbatch								
SPD (Single Pigment Dispersion) - 18 pigments								
Proprietary Substance	Pigments	0.01-1%	None	OK				There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown
PA 6 Nylon								
POLYAMIDE 6	25038-54-4	0.01-1%	H319, H315, H413	OK				<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Natural UV Stabiliser								
POLYAMIDE 6	25038-54-4	0.01-1%	H319, H315, H413	OK				<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
1,6-Hexanediamine, N,N'-Bis(2,2,6,6-Tetramethyl-4-Piperidiny)-, polymer with 2,4,6-Trichloro-1,3,5-Triazine, reaction products with 2,4,4-Trimethyl-2-Pentanamine	70624-18-9	0.01-1%	H412, H411, H319	OK				<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Tris(2,4-ditert-butyl-phenyl) phosphite	31570-04-4	0.01-1%	None	OK				There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl) propionate]	31570-04-4	0.01-1%	H410	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Proprietary Substance	UV Stabiliser	0.01-1%	None	OK	<div></div>	<div></div>	<div></div>	<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown</p>
SDN Yarn								
PA 6 (Nylon)								
POLYAMIDE 6	25038-54-4	30-50%	H319, H315, H413	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Solution Dyed Nylon (SDN) Masterbatch								
Spin Finish								
Potassium (Z)-N-methyl-N-(1-oxo-9-octadecenyl) aminoacetate	76622-74-7	0.1-1%	H400, H318, H315, H332	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Proprietary Substance	Pigment	0.1-1%	None	OK	<div></div>	<div></div>	<div></div>	<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>
Primary Backing								
Backing Layer								

Polypropylene Homopolymer	9003-07-0	1-5%	IARC3	OK				<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Proprietary Substance	backing	0.1-1%	None	OK				<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>
Topical Application								
Water								
Water	7732-18-5	20-30%	None	OK				<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>
Ruco stat APF								
Sodium alkylphosphates	68516-00-7	0.1-1%	H315, H319	OK				<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Alcohols C3- C9	emulsifier	0.1-1%	H226, H318, H302, H315, H335	OK				<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Phosphoric acid, C3-9-alkyl esters, potassium salts	68515-99-1	0.1-1%	None	OK				<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>
Proprietary Substance	Antistatic Agent	0.1-1%	H318, H315, H227, H303	OK				<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>

Ruco coat FO 4010								
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	147170-44-3	0.1-1%	H318, H412	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Proprietary Substance	Foaming Agent	0.1-1%	H318, H317	OK	<div></div>	<div></div>	<div></div>	<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>
Latex Compound 220								
Latex XZ92227								
Proprietary	Polymer	3-5%	IARC3	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Proprietary Substance	Solvent	3-5%	None	OK	<div></div>	<div></div>	<div></div>	<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>
Octosol LS - Emulsifier								
Sulfuric acid, mono-C9-11-alkyl esters, sodium salts	84501-49-5	0.1-1%	H302, H318, H412, H315, H228, H332, H335	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Proprietary Substance	Solvent	0.1-1%	None	OK	<div></div>	<div></div>	<div></div>	<p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"</p>
Octosperse A40 - Emulsifier								

Acrylic Polymer	9003-01-4	0.1-1%	None	OK	<div></div>	<div></div>	<div></div>	There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"
Proprietary Substance	Covered by substance declaration	0.1-1%	None	OK	<div></div>	<div></div>	<div></div>	There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"
Filler Kulu 15								
Calcium Carbonate	471-34-1	10-20%	H315, H319	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Magnesium Carbonate	546-93-0	0.1-1%	None	OK	<div></div>	<div></div>	<div></div>	There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"
Proprietary Substance	Covered by substance declaration	0.1-1%	None	OK	<div></div>	<div></div>	<div></div>	There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"
Thickener Sav T45								
Acrylic Ester Copolymer (Neutral)	Thickener	0.1-1%	H412, H317, H319, H350, H340, H315, H335, H332	OK	<div></div>	<div></div>	<div></div>	<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product. Recycled Content: Unknown Nano Materials: Unknown</p>
Proprietary Substance	Covered by substance declaration	0.01-0.1%	None	OK	<div></div>	<div></div>	<div></div>	There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"
Secondary Backing								
Fusion Bac								
Polypropylene	9003-07-0	5-15%	H228	OK	<div></div>	<div></div>	<div></div>	There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: Unknown"

Poly(oxy-1,2-eth- anediylloxycarbon- yl-1,4-phenylenecar- bonyl)	25038-59-9	0.01-0.1%	H413, H319	OK				<p>The identified hazard associated with this ingredient is primarily relevant during the manufacturing and handling stage. These risks are managed and mitigated through Belgotex's established Occupational Health and Safety (OHS) and Environmental Management System (EMS) procedures.</p> <p>In the finished flooring product, the ingredient is fully incorporated and encapsulated within the product matrix and is not expected to be readily released under recommended use conditions.</p> <p>Therefore, there is no identifiable risk to end users from exposure to this ingredient during the normal use of the finished flooring product.</p> <p>Recycled Content: Unknown Nano Materials: Unknown</p>
Polypropylene	546-93-0	1-5%	None	OK				<p>There is no identifiable risk to end user.</p> <p>Recycled Content: Unknown Nano Materials: Unknown"</p>
Proprietary Substa	Covered by substance declaration	0.01-0.1%	None	OK				<p>There is no identifiable risk to end user.</p> <p>Recycled Content: Unknown Nano Materials: Unknown"</p>

GHS Classification:

IARC3 : Not classifiable as to its carcinogenicity to human
 IARC2B : Possibly carcinogenic to human
 H226 : Flammable liquid and vapour
 H227 : Combustible liquid
 H302 : Harmful if swallowed
 H303 : May be harmful if swallowed
 H315 : Causes skin irritation
 H317 : May cause an allergic skin reaction
 H318 : Causes serious eye damage
 H319 : Causes serious eye irritation
 H332 : Harmful if inhaled
 H335 : May cause respiratory irritation
 H400 : Very toxic to aquatic life
 H411 : Toxic to aquatic life with long lasting effects
 H412 : Harmful to aquatic life with long lasting effects

Comments:

VOC emissions meets Green Building Council Australia, Green Building Council South Africa and Global Greentag Standard v4.1 requirement:
 VOC content: TVOC mg/m2/hr for product applied on site is <0.5 mg/m2/hr measured using Test method ASTM D5116 "Standard Guide for Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Material/Products". Sample tested in June 2022 at FORAY Laboratories - NATA Accredited. Test approved by CETEC.